

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|---|---------------------------------|------------------|---------|------------------|
| L1 | 1 | "6451449".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 13:11 |
| L2 | 0 | semiconductor adj width | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 13:13 |
| L3 | 6310 | layer adj width | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 13:13 |
| L4 | 3993 | heat adj spreader | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 13:13 |
| L5 | 5 | 3 and 4 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 13:16 |
| L6 | 3 | braz\$3 and desity | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 13:25 |
| L7 | 19 | braz\$3 adj mass | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 13:27 |
| L8 | 0 | (braz\$3 adj mass) and (heat adj spreader) and thickness and insulat\$3 and metal | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 13:30 |
| L9 | 1170 | (heat adj spreader) and thickness and insulat\$3 and metal | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 13:30 |
| L10 | 0 | 7 and 9 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 13:35 |
| L11 | 81 | braz\$3 and mass and dimension and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 14:13 |
| L12 | 5042 | braz\$3 and mass and thick\$3 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 14:13 |
| L13 | 1016577 | dimension | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 14:13 |
| L14 | 2714 | 12 and 13 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 14:13 |
| L15 | 1449131 | width | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 14:13 |

| | | | | | | |
|-----|------|---|---------------------------------|----|----|------------------|
| L16 | 2296 | 12 and 15 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 14:13 |
| L17 | 1610 | (heat adj spreader) and insulat\$3 and metal | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 14:14 |
| L18 | 22 | 16 and 17 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 14:22 |
| L19 | 0 | (braz\$ adj mass) and (braz\$3 adj thick\$4) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 14:23 |
| L20 | 8 | (braz\$ adj mass) and thick\$4 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 14:33 |
| L21 | 0 | braz\$3 adj ingredient adj table | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/30 14:33 |
| S1 | 0 | 361/780.ccls. and (heat adj spreder) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 10:32 |
| S2 | 186 | 361/780.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 11:44 |
| S3 | 3990 | heat adj spreader | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 11:45 |
| S4 | 0 | 361/781.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 11:46 |
| S5 | 7 | 361/782.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 11:51 |
| S6 | 20 | 361/783.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:02 |
| S7 | 13 | 361/784.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:08 |
| S8 | 7 | 361/785.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:09 |
| S9 | 1 | 361/786.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:10 |
| S10 | 3 | 361/787.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:10 |

| | | | | | | |
|-----|---------|---------------------------------------|---------------------------------|----|----|------------------|
| S11 | 3 | 361/788.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:11 |
| S12 | 2 | 361/789.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:12 |
| S13 | 14 | 361/790.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:16 |
| S14 | 0 | 361/791.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:17 |
| S15 | 15 | 361/792.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:21 |
| S16 | 2 | 361/793.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:22 |
| S17 | 4 | 361/794.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:24 |
| S18 | 4 | 361/795.ccls. and (heat adj spreader) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:25 |
| S19 | 3990 | heat adj spreader | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:25 |
| S20 | 1847388 | thick\$4 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:25 |
| S21 | 2511 | S19 and S20 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:26 |
| S22 | 1578245 | thickness | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:26 |
| S23 | 2338 | S19 and S22 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:26 |
| S24 | 476133 | insulat\$3 and metal | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:27 |
| S25 | 1168 | S23 and S24 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:33 |
| S26 | 1060187 | density | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:33 |

| | | | | | | |
|-----|---------|---|---------------------------------|----|----|------------------|
| S27 | 649 | S25 and S26 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:54 |
| S28 | 3483799 | thickness ajd rang\$3 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:54 |
| S29 | 2865 | S19 and S28 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:55 |
| S30 | 0 | inslat\$3 and metal and pedestal | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 18:55 |
| S31 | 758 | (heat adj spreader) and (metal and insulat\$3 and thick\$3) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 20:32 |
| S32 | 274 | (heat adj spreader) and (metal and insulat\$3 and thick\$3 and g) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 20:50 |
| S33 | 0 | (heat adj spreader) and (metal and insulat\$3 and thick\$3 and mu and ug) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 20:51 |
| S34 | 261 | (heat adj spreader) and (metal and insulat\$3 and thick\$3 and micron) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 20:56 |
| S35 | 298 | (heat adj spreader) and (metal and insulat\$3 and thick\$3 and weight) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 21:13 |
| S36 | 298 | (heat adj spreader) and (insulat\$3 and metal and insulat\$3 and thick\$3 and weight) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 21:15 |
| S37 | 199 | (heat adj spreader) and (alloy\$1 and metal and insulat\$3 and thick\$3 and weight) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 22:26 |
| S38 | 1 | "6653741".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/24 22:26 |
| S39 | 561294 | thickness and width | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/25 09:52 |
| S40 | 101903 | metal adj plate | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/25 09:53 |
| S41 | 23180 | S39 and S40 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/25 09:53 |
| S42 | 166 | (heat adj spreader) and insulat\$3 and base and braz\$3 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/25 09:55 |

| | | | | | | |
|-----|-------|----------------------------------|---------------------------------|----|----|------------------|
| S43 | 6 | S41 and S42 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/25 10:00 |
| S44 | 28358 | braz\$3 and thickness | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/25 10:04 |
| S45 | 1 | "5796123".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/25 10:42 |
| S46 | 2 | "3941299".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/25 10:43 |
| S47 | 72201 | braz\$3 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 10:33 |
| S48 | 1 | "6577013".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 11:26 |
| S49 | 1 | "6577013".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 11:34 |
| S50 | 1 | "6475327".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 11:36 |
| S51 | 28386 | braz\$3 and thickness | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 11:36 |
| S52 | 3993 | heat adj spreader | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 11:36 |
| S53 | 301 | S51 and S52 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 11:36 |
| S54 | 28918 | insulat\$3 and (metal adj plate) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 15:21 |
| S55 | 19 | S53 and S54 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 11:37 |
| S56 | 1 | "6316826".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 14:00 |

| | | | | | | |
|-----|--------|---|---------------------------------|----|----|------------------|
| S57 | 37 | ("3851221" "4103318" "4361261" "4444349" "4586642" "4730232" "4763188" "4982265" "5025306" "5040052" "5140404" "5172215" "5176311" "5177032" "5229647" "5291060" "5291061" "5323060" "5384689" "5432729" "5620928" "5682062" "5721452" "5739581" "5815372" "5872025" "5886412" "5888884" "5989982" "6002163" "6005778" "6013948" "6030855" "6033931" "6051886" "6057598" "RE36613").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/26 15:00 |
| S58 | 1 | "6475327".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 15:01 |
| S59 | 116369 | insulat\$3 and metal and alloy | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 15:22 |
| S60 | 3993 | heat adj spreader | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 15:22 |
| S61 | 756 | S59 and S60 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 15:23 |
| S62 | 72201 | braz\$3 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 15:23 |
| S63 | 127 | S61 and S62 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 15:23 |
| S64 | 0 | ("2002/0138973").URPN. | USPAT | OR | ON | 2006/01/26 18:45 |
| S65 | 4 | ("5125557" "5393558" "5451279" "5733644").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/26 19:15 |
| S66 | 8 | ("5723369" "5777383" "5790384" "5956576" "6008536" "6111313" "6411507" "6680532").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/26 20:15 |
| S67 | 6 | ("4677526" "4972253" "4975765" "5089878" "5102829" "5191511").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/26 20:49 |
| S68 | 1 | "20010052642" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 20:49 |
| S69 | 1 | "20020175403" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 20:59 |

| | | | | | | |
|-----|---------|--|---------------------------------|----|----|------------------|
| S70 | 13 | heat adj spreader | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 21:20 |
| S71 | 1873625 | heat spreader | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 21:20 |
| S72 | 3993 | heat adj spreader | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 21:21 |
| S73 | 4404 | base and insulat\$3 and alloy and braz\$3 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 21:22 |
| S74 | 108 | S72 and S73 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/26 21:22 |
| S75 | 7163 | insulat\$3 and alloy and braz\$3 and metal | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 09:53 |
| S76 | 3993 | heat adj spreader | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 09:53 |
| S77 | 127 | S75 and S76 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 09:53 |
| S78 | 4 | ("5125557" "5393558" "5451279" "5733644").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 10:14 |
| S79 | 1 | "2001297796" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 10:14 |
| S80 | 4 | ("5125557" "5393558" "5451279" "5733644").PN. OR ("6923363").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 12:19 |
| S81 | 1 | "6316826".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 12:40 |
| S82 | 0 | (heat adj spreader) and (metal adj plate adj width) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 12:41 |
| S83 | 3638 | (heat adj spreader) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 12:41 |
| S84 | 127 | (metal adj plate adj width) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 12:41 |
| S85 | 0 | S83 and S84 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 12:41 |

| | | | | | | |
|----------|---------|-----------------------------|------------------------------|----|----|------------------|
| S86 | 1307 | (metal adj width) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 12:53 |
| S87 | 1 | S83 and S86 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 12:41 |
| S88 | 127 | (metal adj plate adj width) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:02 |
| S89 | 118690 | (metal adj plate) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:03 |
| S90 | 365453 | (metal and alloy) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:03 |
| S91 | 1538964 | width | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:04 |
| S92 | 118820 | S90 and S91 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:04 |
| S93 | 1659190 | layer | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:04 |
| S94 | 81905 | S92 and S93 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:05 |
| S95 | 100096 | metal adj layer | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:05 |
| S96 | 1538964 | width | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:05 |
| S97 | 44122 | S95 and S96 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:05 |
| S98 | 149463 | mu | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:06 |
| S99 | 1956 | S97 and S98 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:06 |
| S10 0 | 87192 | braz\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:06 |
| S10 1 | 58 | S99 and S100 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:08 |

| | | | | | | |
|----------|---------|-------------------------------|------------------------------|----|----|------------------|
| S10 2 | 1307 | metal adj width | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:08 |
| S10 3 | 87192 | braz\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:08 |
| S10 4 | 0 | S102 and 29] | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:08 |
| S10 5 | 54 | S102 and S103 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:10 |
| S10 6 | 126007 | metal adj plate\$1 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:10 |
| S10 7 | 133872 | metal adj plat\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:11 |
| S10 8 | 2813238 | size | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:11 |
| S10 9 | 68839 | S107 and S108 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:11 |
| S11 0 | 550010 | semiconductor | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:11 |
| S11 1 | 10688 | S109 and S110 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:12 |
| S11 2 | 1659190 | layers | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:12 |
| S11 3 | 8854 | S111 and S112 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:13 |
| S11 4 | 357633 | (metal and plat\$3 and width) | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:18 |
| S11 5 | 149463 | mu | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:18 |
| S11 6 | 11429 | S114 and S115 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:18 |
| S11 7 | 1659190 | layers | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:19 |

| | | | | | | |
|----------|---------|--|---------------------------------|----|----|------------------|
| S11 8 | 7823 | S116 and S117 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:19 |
| S11 9 | 3638 | heat adj spreader | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:19 |
| S12 0 | 37 | S118 and S119 | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:21 |
| S12 1 | 1307 | metal adj width | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/27 13:21 |
| S12 2 | 2712642 | conductive ajd metal | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:34 |
| S12 3 | 1449131 | width | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:34 |
| S12 4 | 581292 | S122 and S123 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:34 |
| S12 5 | 2504322 | size | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:34 |
| S12 6 | 357725 | S124 and S125 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:35 |
| S12 7 | 3993 | heat adj spreader | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:36 |
| S12 8 | 7163 | insulat\$3 and alloy and braz\$3 and metal | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:37 |
| S12 9 | 127 | S127 and S128 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:36 |
| S13 0 | 5 | insulat\$3 and alloy and braz\$3 and (metal adj width) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:40 |
| S13 1 | 2885 | insulat\$3 and alloy and braz\$3 and metal and width | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:47 |
| S13 2 | 61 | S127 and S131 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:41 |
| S13 3 | 5 | insulat\$3 and alloy and braz\$3 and (metal adj width) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:48 |

| | | | | | | |
|----------|------|--|---------------------------------|----|----|------------------|
| S13 4 | 7554 | insulat\$3 and alloy and braz\$3 and (metal near\$10 width) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:48 |
| S13 5 | 7554 | insulat\$3 and alloy and braz\$3 and (metal near\$5 width) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:50 |
| S13 6 | 128 | S127 and S135 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:49 |
| S13 7 | 7340 | insulat\$3 and alloy and braz\$3 and (metal ajd width) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:50 |
| S13 8 | 127 | S127 and S137 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2006/01/27 17:51 |